

ULTIMATE POOL SURFACE

Swimmers love our pool surface!



ELEGANT. UNIQUE. COMFORTABLE.

North Coast Haisenda, Egypt Size: 430,556 square feet (40.000 m2) Year Installed: 2015

Our Reinforced Membrane: Smooth and Easy on You.

15-Years Water Tightness Warranty

Short Downtime

No Heavy Machinery Noise During Installation

Smooth Surface

Healthiest Material with No Hazardous Components



ULTIMATE POOL SURFACE

Made in Germany





Island of Cozumel, Mexico Size: 35,000 square feet (3.251 m2) Year Installed: 2003



MANUFACTURER'S

Our 40 years of experience and our stellar reputation worldwide bring you peace of mind.

Our product will exceed the life of other type of surface.

Your pool will always be clean and beautiful.

Our product is customized and tailored for a perfect fit for any size or shape of pool.

The membrane installs quickly in both warm and cold weather, with no wrinkles in temperature variances.

This is an algae resistant and anti-microbial product.

Once the membrane is installed, the pool is available to swimmers immediately. We eliminate the up-to-6-day wait period for cleaning that occurs with other type of surface material.

This product offers the durability of concrete, without the skinned knees, arms or feet typical of a concrete or tiled pool surface.






La Palma Del Condado, Huelva, Spain Size: 5,000 square feet (464 m2) Year Installed: 2003







Size: 4 pools of 3,330 square feet (310 m2) Year Installed: 2015







Year Installed: 2016









Christian School, Charlotte, North Carolina, USA Size: 5,000 square feet (465 m2) Year Installed: 2016









Mirage Aqua Park, Hurghada, Egypt Size: 53,820 square feet (5.000 m2) Year Installed: 2014







Size: 53,820 square feet (5.000 m2) Year Installed: 2015







Prague, Czech Republic Size: 16,145 square feet (1.500 m2) Year Installed: 2016









Ali Baba Aqua Park, Hurghada, Egypt Size: 37,600 square feet (3.500 m2) Year Installed: 2016







Size: 3,200 square feet (298 m2) Year Installed: 2017









52

Competition Pool, Keystone, USA Size: 12,300 square feet (1.142 m2) Year Installed: 2017







Perth, Australia Size: 27,000 square feet (2.500 m2) Year Installed: 2017





Punta Cana

Size: TBD square feet (3500 m2) Year Installed: 2017







Adverse Condition	Concrete/Plaster Cementitous Coatings	Paint	Fiberglass Coatings	Ceramic Tile	CLBE UNE POOL SURFACE
Cracking	Almost always re-cracks	Always re-cracks delaminates	Almost always cracks or peels	Will crack and delaminate	Will never crack
Black Algae	Will grow back through	Will grow back through	Will support algae growth	Will support algae growth	Will not grow through or support algae growth
Acid Resistance	Can be acid washed	Unknown	Subject to chemical deterioration	Low; grout joints attacked	Does not need acid washing
Pool Chemical Usage	Contributes to alkalinity; supports algae growth	Less than plaster	Less than plaster	Encourages & supports algae growth	Reduces chemical requirements
Watertightnes	Will crack; not watertight	Will leak; no effect on watertightness	Will delaminate & leak in time	May leak; crack & delaminate	A watertight impervious lining
General Chemical Resistance	Very poor	No protection	Will deteriorate	Grout joints will deteriorate	Not affected by normal pool treatment levels
Expected Life	3 – 5 Years	1 – 3 Years	3 – 5 Years	5 – 10 Years	15+ Years



ELBEblue line[®] has an exclusive formulation elaborated in house with only pure resin:



Longer life span



Surface easier to clean



Excellent protection against scratches



Prevents the development of bacteria & fungi making the pool more hygienic



Best protection against UV radiation, preventing premature aging



The system allows a quick installation*

Check the genuine ELBEblue line seal on the back side!





Alcasser, Spain Size: 13,450 square feet (1.250 m2) Year Installed: 2016



The membrane is formed by 2 flexible sheets made of plasticized polyvinyl chloride (PVC-P) joined together with an inner polyester fabric. This polyester fabric provides dimensional stability and high resistance to punctures or tears, as well as elasticity and flexibility.

Our success is based on German engineering, trust and the highest standard of quality. Our priority is creating the best quality product and bringing it to market, while conserving natural resources and our environment. This benefits the health and well-being of our customers.

Elbtal Plastics is ISO 9001 certified, the highest international standard.





www.ELBEpools.com







Elbtal Plastics GmbH and CO. KG Grenzstr.9 01640 Coswig Germany

www.ELBEpools.com

ELBE

POOL SURFACE | MADE IN GERMANY

Membranas Elbe S.A de C.V. info@membranaselbe.com www.membranaselbe.com www.elbeblueline.mx

5 Star Hotel, Cyprus Size: 43,000 square feet (4.000 m2) Year Installed: 2016